



1584 Hadley Avenue N | Oakdale, MN 55128
651-739-5086 | www.ci.oakdale.mn.us

APPLICATION OF WATER (OAKDALE 2130)

PART 1 GENERAL

1.01 SUMMARY

- A. Section includes furnishing and applying water to the roadbed for dust control purposes when specifically designated by Engineer.
- B. Related Sections:
 - 1. Section 2031 – Temporary Water
- C. Method of Measurement:
 - 1. Measure specifically designated water by volume in 1,000 (M) gallon increments.
 - 2. Deduct for volumes wasted through Contractor failure to coordinate application with other operations as required.
- D. Basis of Payment:
 - 1. Payment for acceptable quantities of water for dust control shall be at the Contract Unit Price as listed on the Bid Form. All associated Work items shall be considered incidental.

1.02 REFERENCES

- A. MnDOT 2130 – Application of Water

PART 2 PRODUCTS

2.01 MATERIALS

- A. Distributor Requirements:
 - 1. Pressure Type.
 - 2. Self-propelled.
 - 3. Mounted of pneumatic-tired wheels.
 - 4. Water supply tank with distributing bars to ensure uniform application.
 - 5. Pump capacity to provide uniform application at any rate up to 250 gallons per minute.

PART 3 EXECUTION

3.01 APPLICATION

- A. Apply water in the locations and at the rates or amounts directed by Engineer.

B. Apply water within 3 hours of Engineer direction.

END OF SECTION